



Datasheet F33-R



## F33-R


Installing a protective ventilation system isn't always straightforward, especially when a machine's deck is cluttered with various components or lacks sufficient space, such as a small or non-existent fender. Making compromises in the capacity of a BMAir protective ventilation system like the MAO-3CG? That's not an option! Our engineers have developed the BMAir F33-R rooftop unit to maintain excellence. In fact, the system can be deployed in the most severe contaminations.





## **F4000 Smart Control**

Monitoring safety within the cabin is equally crucial. Merely hearing a system running doesn't assure functionality. That's why the F33-R includes a F4000 controller as standard.



## **Combi filters**

The BMAir filters ensure that machine drivers work more safely than ever, even in polluted work environments. Especially in polluted environments. Because our advanced and patented technology make our systems and filters exceptionally effective. Even under the harshest conditions.

Dust combination:	Туре	Art. nr.
Asbestos	P1-P3/H13	VX603328EU5
Toxic particulate matter, asbestos silica dust and heavy metals. Efficiency> 99.95%		VX603328EU13

Active carbon combinations:	Туре	Art. nr.	_
Benzene	P1-P3/H13-A	VX603328EU5	_
Vapours from solvents and hydrocarbons(e.g. diesel)		VX603328EU13 KX603392A	
Dredging	P1-P3/H13-ABE	VX603328EU5	-
Vapours from dredging spoil such as bacteria, toxic particulate matter, heavy metals and H2S		VX603328EU13 KX603392ABE	
ABE/K	P1-P3/H13-ABE-K	VX603328EU5	-
Vapours such as H2S and ammonia. (caution: not for use with cyanides such as HCN)		VX603328EU13 KX603392ABEK	
ABEK	P1-P3/H13-ABEK	VX603328EU5	_
Vapours from cocktail of toxic substances. In accordance with EN14387		VX603328EU13 KX603392ABEK+	<b>^</b>
Ammonia/Organic waste	P1-P3/H13-A-K	VX603328EU5	
Vapours from waste and composting such as spores, bacteria, viruses, organic and ammonia		VX603328EU13 KX603392AK	
AX	P1-P3/H13-A-AX	VX603328EU5	
Vapours from solvents and hydrocarbons with boilingpoint < 65°C		VX603328EU13 KX603392AX	



